

Technical information

Processing possibilities transparent plastics

	Material					
Processing possibilities	Polycarbonate	Polycarbonate abrasion resistant coating	Polycarbonate anti-static coating	PETG	РММА	PVC
cold-bevelled, sawn, with bead						
	yes	no	no	no	no	no
cold-bevelled, sawn, without bead, trimmed after edging						
	yes	no	no	no	no	no
cold-bevelled, milled, without bead						
	yes	no	no	no	no	no
cold-bevelled, milled, with bead, adhered inside						
② 90°C ①	yes	yes	yes	yes	yes	no
cold-bevelled, milled, without bead, adhered inside, trimmed after edging						
arter edging 2 90°C C	yes	yes	yes	yes	yes	no
Thermo-bevelled, milled, radius thermo-bevelled						
	yes	no	Please note min. radius.	yes	yes	yes

page 1/3

All information based on current knowledge and experience. Information provided shall not exempt the contractor or user from conducting own tests. A legally binding warranty as to product features or its suitability for specific purposes may not be derived therefrom. Compliance with any proprietary rights as well as existing laws or regulations is the responsibility of the recipient of our products. No liability assumed for printing and any other errors. Technical data subject to change without notice. Reproduction or duplication of this document or its contents - whole or in part - is only permitted with express approval by company noltewerk. The German version of this data shall prevail. As of 0120.



tranparent plastics



Technical information

Processing possibilities transparent plastics

	Material						
Processing possibilities	Polycarbonate	Polycarbonate abrasion resistant coating	Polycarbonate anti-static coating	PETG	РММА	PVC	
Thermo-bevelled, sawn, radius thermo-bevelled	yes	no	Please note min. radius.	yes	yes	yes	
Radius thermo-formed	no	no	no	yes, trimmed edges on request	yes, trimmed edges on request	no	
mitre cut angle, glued	no	no	no	no	yes	yes	
angle, glued	yes	no	no	yes	yes	yes	
Sawn	yes	yes	yes	yes	yes	yes	
CNC-milled, matt	yes	yes	yes	yes	yes	no	

page 2/3

All information based on current knowledge and experience. Information provided shall not exempt the contractor or user from conducting own tests. A legally binding warranty as to product features or its suitability for specific purposes may not be derived therefrom. Compliance with any proprietary rights as well as existing laws or regulations is the responsibility of the recipient of our products. No liability assumed for printing and any other errors. Technical data subject to change without notice. Reproduction or duplication of this document or its contents - whole or in part - is only permitted with express approval by company noltewerk. The German version of this data shall prevail. As of 0120.



tranparent plastics



Technical information

Processing possibilities transparent plastics

	Material						
Processing possibilities	Polycarbonate	Polycarbonate abrasion resistant coating	Polycarbonate anti-static coating	PETG	РММА	PVC	
CNC-milled, polished							
	no	no	no	no	yes	no	
Chemically poliched							
	yes	no	no	yes	no	no	
Sawn → mottled							
	no	no	no	no	yes	no	
milled → mottled							
	no	no	no	no	yes	no	
highly polished							
	no	no	no	no	yes	no	

page 3/3



